




# ELITE

TOP QUALITY WHEELS

WHEELS COLLECTION | 03











**ELITE**

---


**TOP QUALITY WHEELS**



Design



Paint/Finishing



Engineering



X-Ray



Foundry



Quality Tests



Machining



Logistic

**ELIT WHEELS - TURKEY**

is a registered trade mark of Elit Jant San.Tic. A.S. Our company is located in Manisa Industrial Zone on a 14000 m2 area. Thanks to its professional team with more than 30 years of experience in the sector, Elit Wheels continues to grow and always keep up with latest technology and make no compromises in respect of quality and its principles. Our wheels are produced by computer controlled **low pressure casting** machines using special aluminium alloy, fully conforming to international E.T.R.T.O (The European Tyre and Rim Technical Organization) standards. Elit Wheels produces custom design alloy wheels within the size range of 13" -20". All research and development, product design, product simulation activities and all production phases are carried out in our company by means of high technology support. Our premium quality wheels are the outcome of more than 30 different production processes and pass various tests carried out at test laboratories, meeting highest quality standards. Our production facility has KBA Quality Management System, TUV and ISO 9001:2015 Quality Certificate our wheels are currently being exported to Europe, Middle East and Asia.

**ELIT WHEELS – TURKEY**

EW è un marchio registrato di Elit Jant. La nostra azienda si trova a Manisa, zona industriale su un'area di 14.000 m2. Grazie al suo team di professionisti con oltre 30 anni di esperienza nel settore, Elit Wheels continua a crescere e a tenere il passo con le ultime tecnologie senza scendere a compromessi in termini di qualità e suoi principi. Le nostre ruote sono prodotte con macchine per colata **a bassa pressione** controllate da computer utilizzando speciali leghe di alluminio, pienamente conformi agli standard E.T.R.T.O. (organizzazione tecnica Europea per pneumatici e cerchi). Elit Wheels produce cerchi in lega dal design personalizzato con dimensioni comprese tra 13" e 20". Tutta la ricerca e lo sviluppo, la progettazione del prodotto, le attività di simulazione del prodotto e tutte le fasi di produzione sono svolte internamente alla nostra azienda tramite supporto di alta tecnologia. Le nostre ruote di alta qualità sono il risultato di oltre 30 diversi passaggi di produzione e di vari test effettuati presso i nostri laboratori interni, che soddisfano i più alti standard di qualità. Il nostro impianto di produzione dispone del sistema della qualità Kba, del Tuv e del certificato di qualità Iso 9001:2015. Le nostre ruote vengono attualmente esportate in Europa, Medio Oriente e Asia.

**ELITE WHEELS SRL - ITALY**

Elite wheels srl - Asti - Italy is the office of distribution and sales development in the EU and other countries, established and organized to give the best support to all customers. Asti is located in the N.W. of Italy, in one of the most important commercial areas of the Country and convenient to the logistics, transports, airports and ports. From our office in Italy and from its modern logistics warehouse, we can also supply fractioned shipments, in very short time , to all over Europe.

The office in Italy is directed by managers with over 30 years of experience and specific knowledge of the wheel sector in order to guarantee the best commercial service and technical efficiency.

**ELITE WHEELS SRL - ITALIA**

Elite wheels srl - Asti – Italia è l'ufficio di distribuzione e sviluppo vendite in EU ed altri paesi, organizzato per dare il miglior supporto a tutti i clienti. Dal nostro ufficio in Italia e dal moderno magazzino logistico, possiamo fornire anche spedizioni frazionate, in tempi rapidi, su tutta Europa.

L'ufficio è diretto da managers con oltre 30 anni di esperienza e specifica conoscenza del settore ruote e per questo garantiamo il miglior servizio commerciale e tecnico.

# WHEELS COLLECTION | 03



|                                                                                     |                                  |        |                                                                                      |                              |        |
|-------------------------------------------------------------------------------------|----------------------------------|--------|--------------------------------------------------------------------------------------|------------------------------|--------|
|    | DEDICATED TO ALFA ROMEO DRIVERS  | pg. 08 |   | DEDICATED TO FIAT DRIVERS    | pg. 42 |
|    | DEDICATED TO AUDI DRIVERS        | pg. 10 |   | DEDICATED TO RENAULT DRIVERS | pg. 44 |
|    | DEDICATED TO BMW DRIVERS         | pg. 20 |   | DEDICATED TO DACIA DRIVERS   | pg. 46 |
|    | DEDICATED TO MERCEDES DRIVERS    | pg. 26 |   | UNIVERSAL WHEELS             | pg. 48 |
|   | DEDICATED TO RANGE ROVER DRIVERS | pg. 34 |  | COMMERCIAL / CAMPER          | pg. 62 |
|  | DEDICATED TO VOLKSWAGEN DRIVERS  | pg. 38 |                                                                                      |                              |        |
|  | DEDICATED TO VOLVO DRIVERS       | pg. 40 |                                                                                      |                              |        |



# EW24 - VELOCE



There is no commercial relationship with Alfa Romeo and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Alfa Romeo e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



BL - Glossy Black



PL - Glossy Palladium

| PCD / SIZE | 5x98    | 5x110   |
|------------|---------|---------|
| 7,5x17"    | ET (34) | ET (34) |
| 8,0x18"    | ET (33) | ET (33) |
| 8,0x19"    |         | ET (33) |
| 9,0x19"    |         | ET (33) |
| 8,5x20"    |         | ET (34) |
| 8,5x21"    |         | ET (33) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



# EW-A2 - FORX







BLP - Black Polished



BLLP - Black Lip Polished



PM - Matt Palladium

| PCD / SIZE | 5x100   | 5x112      |
|------------|---------|------------|
| 7,0x17"    | ET (38) | ET (35/45) |
| 7,0x18"    | ET (40) | ET (35/45) |
| 8,0x19"    |         | ET (30/45) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible)

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali

DEDICATED TO AUDI DRIVERS

[www.elitewheels.it](http://www.elitewheels.it)

# EW15 - LUSTER



There is no commercial relationship with AUDI and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con AUDI e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



BL - Glossy Black

| PCD / SIZE | 5x100   | 5x108   | 5x110      | 5x112      | 5x114,3    |
|------------|---------|---------|------------|------------|------------|
| 7,5x17"    | ET (36) | ET (38) |            | ET (36/45) |            |
| 8,0x18"    | ET (38) |         |            | ET (31/45) |            |
| 8,0x19"    |         | ET (45) | ET (32/38) | ET (35/45) | ET (45)    |
| 8,5x20"    |         | ET(40)  |            | ET (30/45) | ET (32/42) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

# EW16 - THOTH



There is no commercial relationship with AUDI and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con AUDI e i relativi marchi che sono rappresentati a puro scopo descrittivo.





BLP - Black Polished



BL - Glossy Black



MBR - Matt Bronze

| PCD / SIZE | 5x100   | 5x108   | 5x110   | 5x112         | 5x114,3    |
|------------|---------|---------|---------|---------------|------------|
| 7,5x17"    | ET (36) | ET (38) |         | ET (36/45)    |            |
| 8,0x18"    | ET (38) |         |         | ET (26/31/45) |            |
| 8,5x19"    |         |         |         | ET (32/45)    |            |
| 8,5x20"    |         | ET (40) | ET (33) | ET (32/42)    | ET (32/42) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

# EW04 - MUST





BLP - Black Polished



PLP - Palladium Polished



PL - Palladium

| PCD / SIZE | 5x100   | 5x112      |
|------------|---------|------------|
| 7,5x17"    | ET (35) | ET (35/45) |
| 8,0x18"    | ET (35) | ET (35/45) |
| 8,5x19"    |         | ET (32/45) |
| 9,0x20"    |         | ET (33/37) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



# EW03 - STORM



There is no commercial relationship with Audi and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Audi e i relativi marchi che sono rappresentati a puro scopo descrittivo.





BLP - Black Polished



PL - Palladium

| PCD / SIZE | 4x100   | 4x108         | 5x100      | 5x108   | 5x112            | 5x114,3    | 5x120   |
|------------|---------|---------------|------------|---------|------------------|------------|---------|
| 7,5x17"    |         |               | ET (34)    | ET (42) | ET (35/45)       | ET (35/45) |         |
| 8,0x18"    |         |               | ET (35)    | ET (42) | ET (35/45)       | ET (42)    |         |
| 7,5x18"    | ET (38) | ET (18/25/38) | ET (35/45) | ET (35) | ET (25/35/42/45) | ET (40)    | ET (38) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

# EW17 - ASSOS



## EW17-ASSOS

**ELITE**



BLP - Black Polished

| PCD / SIZE | 5x112      |
|------------|------------|
| 8,0x18"    | ET (30/43) |
| 8,0x19"    | ET (30/47) |
| 9,0x19"    | ET (40)    |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



BL1 - Black With Lip Polished



Matte Palladium



Matte Bronze

DEDICATED TO BMW DRIVERS

[www.elitewheels.it](http://www.elitewheels.it)



# EW10 - LIGHT







BLP - Black Polished

| PCD / SIZE | 5x112      | 5x120      |
|------------|------------|------------|
| 8,0x18"    | ET (30/45) | ET (34/43) |
| 9,0x18"    | ET (40/44) | ET (38/44) |
| 8,5x19"    | ET (30/45) | ET (38)    |
| 9,5x19"    | ET (38)    | ET (38/48) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

# EW01 - STARGAZE



EW01-STARGAZE

ELITE



BLP - Black Polished



PLP - Palladium Polished



BL - Glossy Black



PL - Palladium Glossy

| PCD / SIZE | 5x112         | 5x120      |
|------------|---------------|------------|
| 8,0x17"    | ET (30/43)    | ET (30/43) |
| 8,0x18"    | ET (30/43)    | ET (30/43) |
| 9,0x18"    | ET (40/44)    | ET (37/44) |
| 8,0x19"    | ET (30/47/54) |            |
| 8,5x19"    | ET (30/42)    | ET (30/38) |
| 9,5x19"    | ET (38)       | ET (38)    |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



# EJ34 - SPECTER



There is no commercial relationship with Mercedes and its own trademarks that are lawfully represented here only for descriptive purposes.

Non esiste nessun rapporto commerciale con Mercedes e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



BLLP - Black Lip Polished

| PCD / SIZE | 5x112            |
|------------|------------------|
| 7,5x17"    | ET (45)          |
| 8,0x18"    | ET (35/40/45)    |
| 8,0x19"    | ET (38/45)       |
| 9,0x19"    | ET (42)          |
| 8,5x20"    | ET (35/40/43/45) |
| 9,5x20"    | ET (40/45)       |

CONCAVE DESIGN

TPMS Ready | Original fit (O.E. cap and bolts can be compatible)

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali



# EW02 - WILD BEAUTY



There is no commercial relationship with Mercedes and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Mercedes e i relativi marchi che sono rappresentati a puro scopo descrittivo.





BLP - Black Polished



BLLP - Black Lip Polished



PLP - Palladium Polished



CS - Cristal Silver

| PCD / SIZE | 5x112      |
|------------|------------|
| 7,5x17"    | ET (35/45) |
| 8,0x18"    | ET (35/45) |
| 9,0x18"    | ET (35/50) |
| 8,0x19"    | ET (35/48) |
| 8,5x19"    | ET (32/45) |
| 9,5x19"    | ET (38/48) |
| 8,5x20"    | ET (35/43) |
| 9,5x20"    | ET (35/43) |

CONCAVE DESIGN

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

# EW19 - SIRIUS





BLP - Black Polished



PLP - Palladium Polished



BL1 - Black With Lip Polished

| PCD / SIZE | 5x112      |
|------------|------------|
| 8,5x19"    | ET (32/45) |
| 9,5x19"    | ET (38/48) |
| 8,5x20"    | ET (35/42) |
| 9,5x20"    | ET (38/50) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



# EW13 - TURBINE





BLP - Black Polished



PLP - Palladium Polished

| PCD / SIZE | 5x112        |
|------------|--------------|
| 8,0x18"    | ET (34,5/43) |
| 9,0x18"    | ET (35/49)   |
| 8,5x19"    | ET (34,5/48) |
| 9,5x19"    | ET (38/50)   |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

DEDICATED TO MERCEDES DRIVERS

[www.elitewheels.it](http://www.elitewheels.it)

# EW06 - MIRAGE



There is no commercial relationship with Range Rover and its own trademarks that are lawfully represented here only for descriptive purposes.

Non esiste nessun rapporto commerciale con Range Rover e i relativi marchi che sono rappresentati a puro scopo descrittivo.





BLP - Black Polished



PLP - Palladium Polished



BL - Glossy Black

| PCD / SIZE | 5x108 Ø 67,1  | 5x120 Ø 72,6 |
|------------|---------------|--------------|
| 8,5x19"    | ET (38) conic | ET (45) flat |
| 9,0x20"    | ET (45) conic | ET (45) flat |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

DEDICATED TO RANGE ROVER DRIVERS  
[www.elitewheels.it](http://www.elitewheels.it)

## EW07 - VANITY



There is no commercial relationship with Jaguar and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Jaguar e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



| PCD / SIZE | 5x108 Ø 67,1  | 5x120 Ø 72,6 |
|------------|---------------|--------------|
| 8,5x19"    | ET (38) conic | ET (45) flat |
| 9,0x20"    | ET (45) conic | ET (45) flat |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



# EW09 - CYCLONE | EJ02 - AGILE



There is no commercial relationship with VW and Audi and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con VW e Audi e i relativi marchi che sono rappresentati a puro scopo descrittivo.

## EW09-CYCLONE



BLP - Black Polished

| PCD / SIZE | 5x100   | 5x112   | 5x114,3   |
|------------|---------|---------|-----------|
| 7,0x17"    | ET (40) | ET (40) | ET (48,5) |
| 7,5x18"    | ET (44) | ET (51) | ET (50)   |
| 8,0x19"    | ET (42) | ET (50) | ET (40)   |

## EJ02-AGILE

**ELITE**



BLP - Black Polished

| PCD / SIZE | 5x100   | 5x112   | 5x114,3 |
|------------|---------|---------|---------|
| 6,5x16"    | ET (38) | ET (45) | ET (45) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

DEDICATED TO VOLKSWAGEN DRIVERS

[www.elitewheels.it](http://www.elitewheels.it)



# EW11 - RACER



There is no commercial relationship with Volvo and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Volvo e i relativi marchi che sono rappresentati a puro scopo descrittivo.





BLP - Black Polished

| PCD / SIZE | 5x108                      |
|------------|----------------------------|
| 8,0x18"    | ET (42) Ø 63,4             |
| 8,5x19"    | ET (40 Ø 67,1 / 47 Ø 63,4) |



PL - Palladium



CS - Crystal Silver

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

DEDICATED TO VOLVO DRIVERS

[www.elitewheels.it](http://www.elitewheels.it)

## EW25 - CINQUE





BLP - Black Polished



PL - Palladium

| PCD / SIZE | 4x98       |
|------------|------------|
| 6,0X15"    | ET (30/35) |
| 6,5X16"    | ET (30/35) |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible)  
[Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali](#)

DEDICATED TO FIAT DRIVERS  
[www.elitewheels.it](http://www.elitewheels.it)



# EJ12 - VIGOR



There is no commercial relationship with Renault and its own trademarks that are lawfully represented here only for descriptive purposes.

Non esiste nessun rapporto commerciale con Renault e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



BL - Black

TPMS Ready

Adatto a valvole TPMS

|                 | PCD / SIZE | 4x100      | 5x114,3    |
|-----------------|------------|------------|------------|
| OK Twingo ant.  | 5,5x15"    | ET (35/45) |            |
| OK Twingo post. | 6,0x15"    | ET (35/45) | ET (39)    |
|                 | 6,5x16"    | ET (35)    | ET (40/45) |
|                 | 7,5x17"    | ET (38)    | ET (40/45) |
|                 | 7,5x18"    |            | ET (40/45) |

# EJ39







BLP - Black Polished

| PCD / SIZE | 4x100   | 5x114,3    |
|------------|---------|------------|
| 7,0x16"    | ET (35) | ET (35/40) |
| 7,0x17"    |         | ET (40)    |

TPMS Ready

Adatto a valvole TPMS

# EW-A2 - FORX





BLP - Black Polished



BLLP - Black Lip Polished



PM - Matt Palladium

| PCD / SIZE | 4x98    | 4x100   | 4x108         | 5x100   | 5x108   | 5x110   | 5x112      | 5x114,3    |
|------------|---------|---------|---------------|---------|---------|---------|------------|------------|
| 7,0x17"    | ET (30) | ET (38) | ET (25/35)    | ET (38) | ET (40) | ET (35) | ET (35/45) | ET (32/45) |
| 7,0x18"    |         | ET (38) | ET (20/30/40) | ET (40) | ET (42) | ET (38) | ET (35/45) | ET (35/45) |
| 8,0x19"    |         |         |               |         | ET (40) | ET (38) | ET (30/45) | ET (32/45) |

TPMS Ready

Adatto a valvole TPMS

UNIVERSAL WHEELS

[www.elitewheels.it](http://www.elitewheels.it)



# EW27 - HELIX



**Specially studied for all the electric cars | Studiato per equipaggiare la maggioranza delle vetture elettriche**

There is no commercial relationship with Tesla and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Tesla e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



PL -Palladium



BL -Black

| PCD / SIZE | 5x108      | 5x110   | 5x112               | 5x114,3       | 5x120   |
|------------|------------|---------|---------------------|---------------|---------|
| 7,5x18"    | ET (45/50) | ET (30) | ET (35/45/48/49/50) | ET (40/49)    |         |
| 8,0x18"    | ET (42/45) | ET (33) | ET (35/30/35/45)    | ET (40/45)    |         |
| 8,5x18"    |            |         | ET (36/56)          | ET (35)       |         |
| 7,5x19"    | ET (42/50) | ET (30) | ET (35/45)          | ET (35/40/47) |         |
| 8,0x19"    | ET (45/50) | ET (33) | ET (27/30/35/45)    |               |         |
| 8,5x19"    | ET (56)    |         | ET (26/35/42/45)    | ET (35)       | ET (35) |
| 9,0x19"    | ET (53)    |         | ET (30/42/56)       |               |         |

max load capacity = 780 kg  
max load capacity = 850 kg  
max load capacity = 850 kg  
max load capacity = 780 kg  
max load capacity = 850 kg  
max load capacity = 850 kg  
max load capacity = 850 kg

TPMS Ready | Original fit (O.E. cap and bolts can be compatible)

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali

# EW08 - TITANIUM







BLP - Black Polished



BL - Glossy Black

| PCD / SIZE | 5x108   | 5x110   | 5x112         | 5x114,3 | 5x120                        | 5x130   |                             |
|------------|---------|---------|---------------|---------|------------------------------|---------|-----------------------------|
| 7,5x19"    | *       | *       | *             | *       | ET (40)                      | *       | max load capacity = 800 kg  |
| 8,5x19"    | ET (40) | ET (30) | ET (36/40)    |         | ET (40) flat                 |         | max load capacity = 1025 kg |
| 8,0x20"    | *       | *       | *             | *       | ET (40)                      | *       | max load capacity = 925 kg  |
| 9,0x20"    | ET (45) | ET (30) | ET (26/33/45) | ET (45) | ET (45) flat - ET (42) conic | ET (52) | max load capacity = 1025 kg |
| 10,0x20"   |         |         | ET (19/30/50) | ET (35) | ET (40) flat                 | ET (57) | max load capacity = 1025 kg |

\* PCD/ET on request | PCD/ET su richiesta

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

UNIVERSAL WHEELS

[www.elitewheels.it](http://www.elitewheels.it)

# EJ12 - VIGOR



There is no commercial relationship with Peugeot and Smart and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Peugeot e Smart e i relativi marchi che sono rappresentati a puro scopo descrittivo.



BLP - Black Polished



BL - Black

|                               | PCD / SIZE | 4x98    | 4x100      | 4x108         | 5x98    | 5x100   | 5x108   | 5x110   | 5x112      | 5x114,3    |
|-------------------------------|------------|---------|------------|---------------|---------|---------|---------|---------|------------|------------|
| OK Smart ant. / Twingo ant.   | 5,5x15"    |         | ET (35/45) |               |         |         |         |         |            |            |
| OK Smart post. / Twingo post. | 6,0x15"    | ET (35) | ET (35/45) | ET (25/35)    | ET (40) | ET (40) | ET (42) |         | ET (43)    | ET (39)    |
|                               | 6,5x16"    | ET (35) | ET (35)    | ET (25/32/40) | ET (39) | ET (40) | ET (45) | ET (40) | ET (42)    | ET (40/45) |
|                               | 7,5x17"    |         | ET (38)    | ET (25/35)    | ET (40) | ET (40) | ET (45) | ET (39) | ET (35/45) | ET (40/45) |
| TPMS Ready                    | 7,5x18"    |         |            |               | ET (40) | ET (40) | ET (45) | ET (38) | ET (34/44) | ET (40/45) |

Adatto a valvole TPMS

UNIVERSAL WHEELS

[www.elitewheels.it](http://www.elitewheels.it)



## EW22 - VIPER-X





BLP - Black Polished



PM - Matt Palladium



BLLP - Black Lip Polished

|                | PCD / SIZE | 4x98    | 4x100   | 4x108         | 5x100   | 5x108   | 5x110   | 5x112         | 5x114,3    |
|----------------|------------|---------|---------|---------------|---------|---------|---------|---------------|------------|
|                | 7,0x17"    | ET (30) | ET (42) | ET (20/30/40) | ET (38) | ET (42) | ET (35) | ET (35/45)    | ET (35/45) |
|                | 8,0x18"    |         |         |               |         | ET (40) | ET (33) | ET (26/35/45) | ET (40)    |
|                | 8,0x19"    |         |         |               |         | ET (40) | ET(33)  | ET (26/35/45) | ET (40)    |
| CONCAVE DESIGN | 9,0x19"    |         |         |               |         |         | ET (34) | ET (35/40/49) |            |
|                | 8,5x20"    |         |         |               |         | ET (45) | ET (34) | ET (28/35/43) | ET (45)    |
| CONCAVE DESIGN | 9,5x20"    |         |         |               |         |         |         | ET (28/35/43) |            |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat



# EW26 - PENTAGON



There is no commercial relationship with Mercedes and its own trademarks that are lawfully represented here only for descriptive purposes.  
Non esiste nessun rapporto commerciale con Mercedes e i relativi marchi che sono rappresentati a puro scopo descrittivo.





BLP - Black Polished



PL - Glossy Palladium



BL - Black

|                | PCD / SIZE | 4x100   | 4x108         | 5x100   | 5x108   | 5x110      | 5x112         | 5x114,3    |
|----------------|------------|---------|---------------|---------|---------|------------|---------------|------------|
| CONCAVE DESIGN | 7,5x18"    | ET (45) | ET (20/30/40) | ET (40) | ET (40) | ET (33/40) | ET (30/35/48) | ET (35/45) |
|                | 8,0x19"    |         |               |         | ET (40) | ET(33)     | ET (26/35/45) | ET (40/45) |
|                | 9,0x19"    |         |               |         |         | ET (34)    | ET (35/40/49) |            |
|                | 8,5x20"    |         |               |         | ET (45) | ET (34)    | ET (28/35/43) | ET (45)    |
| CONCAVE DESIGN | 9,5x20"    |         |               |         |         |            | ET (28/35/43) |            |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat  
Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

# EW12 - JAZZY







BLP - Black Polished



CS - Crystal Silver



BL - Black



PL - Palladium

| PCD / SIZE | 4x98 | 4x100 | 4x108 | 5x98 | 5x100 | 5x105 | 5x108 | 5x110 | 5x112 | 5x114,3 | 5x115 | 5x120 |
|------------|------|-------|-------|------|-------|-------|-------|-------|-------|---------|-------|-------|
| 5,5x14"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | -       | -     | -     |
| 6,0x15"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | o       | -     | -     |
| 6,5x15"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | o       | -     | -     |
| 6,5x16"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | o       | o     | o     |
| 7,0x16"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | o       | o     | o     |
| 7,0x17"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | o       | o     | o     |
| 7,5x17"    | -    | -     | -     | -    | o     | o     | o     | o     | o     | o       | o     | o     |
| 7,5x18"    | o    | o     | o     | o    | o     | o     | o     | o     | o     | o       | o     | o     |
| 7,5x19"    | -    | -     | -     | -    | -     | -     | o     | o     | o     | o       | -     | -     |

TPMS Ready | Original fit (O.E. cap and bolts can be compatible) | Run-Flat

Adatto a valvole TPMS | La ruota in alcuni attacchi utilizza cap e viti originali | Canale adatto a pneumatici di tipo Run-Flat

UNIVERSAL WHEELS

[www.elitewheels.it](http://www.elitewheels.it)



# EW20 - ATHENA





BLP - Black Polished



BL - Black



PL - Palladium

Max Wheel Load | Massima Capacità di carico = 1250 kg

| PCD / SIZE | 5x108   | 5x112   | 5x114,3 | 5x118   | 5x120   | 5x130      | 5x160   | 6x120   | 6x130   | 6x114,3 | 6x139,7    |
|------------|---------|---------|---------|---------|---------|------------|---------|---------|---------|---------|------------|
| 6,5x16"    | ET (35) | ET (48) | ET (40) | ET (50) | ET (45) | ET (50/55) | ET (50) | ET (50) | ET (50) |         | ET (45)    |
| 7,0x17"    | ET (35) | ET (51) | ET (40) | ET (50) | ET (45) | ET (55)    | ET (50) | ET (50) | ET (50) | ET (45) | ET (25/50) |
| 8,0x18"    | ET (35) | ET (51) | ET (40) | ET (50) | ET (45) | ET (33/55) | ET (50) | ET (50) | ET (50) | ET (45) | ET (25/50) |

TPMS Ready

Adatto a valvole TPMS

COMMERCIAL | CAMPER

[www.elitewheels.it](http://www.elitewheels.it)



# EJ22 - WAVE

**ELITE**



BLP - Black Polish



CS - Crystal Silver



BL - Black



PL - Palladium

disponibile anche/[also available](#) PLP - Palladium Polished

TPMS Ready

[Adatto a valvole TPMS](#)

| PCD / SIZE | 4x98    | 4x100      | 4x108      | 5x98 | 5x100   | 5x105   | 5x108           | 5x110   | 5x112            | 5x114,3                 | 5x120   |
|------------|---------|------------|------------|------|---------|---------|-----------------|---------|------------------|-------------------------|---------|
| 6,5x15"    | ET (35) | ET (40/44) | ET (20/30) |      | ET (38) | ET (38) | ET (40)         |         | ET (46/49)       | ET (38/40/41/42,5)      |         |
| 6,5x16"    |         | ET (40/44) | ET (20/32) |      | ET (38) | ET (38) | ET (40)         |         | ET (46/49)       | ET (38/40/41/42,5)      |         |
| 7,0x17"    |         | ET (44)    | ET (25)    |      | ET (38) | ET (42) | ET (42)         | ET (40) | ET (45/49)       | ET (35/37/40/43,5/48,5) |         |
| 7,5x18"    |         |            |            |      | ET (38) |         | ET (42/48/50,5) |         | ET (25/40/48/53) | ET (35/45/49)           | ET (50) |
| 8,0x18"    |         |            |            |      | ET (38) |         | ET (42)         | ET (33) | ET (30/38/40/43) |                         | ET (34) |

UNIVERSAL WHEELS

[www.elitewheels.it](http://www.elitewheels.it)



# EJ13 - TORRENT

**ELITE**



BLP - Black Polished

| PCD / SIZE | 4x98    | 4x100   | 4X108   | 5x100   | 5X108   | 5X110   | 5x112      | 5x114,3 |
|------------|---------|---------|---------|---------|---------|---------|------------|---------|
| 6,5x15"    | ET (40) | ET (35) | ET (35) | ET (40) | ET (40) |         | ET (40)    | ET (40) |
| 6,5x16"    | ET (35) | ET (40) | ET (32) | ET (40) | ET (40) | ET (34) | ET (44)    | ET (40) |
| 7,5x17"    |         |         |         | ET (40) | ET (42) | ET (35) | ET (32/44) | ET (40) |
| 7,5x18"    |         |         |         | ET (40) | ET (40) | ET (38) | ET (40)    | ET (40) |

TPMS Ready

Adatto a valvole TPMS

UNIVERSAL WHEELS  
[www.elitewheels.it](http://www.elitewheels.it)

# EJ31 - DYNAMIC ARROW

**ELITE**



BLP - Black Polished



CS - Crystal Silver



PL - Palladium



BL - GlossyBlack

| PCD / SIZE | Load Cap. / Carico | 4x98    | 4x100   | 4x108      | 5x98 | 5x100      | 5x108           | 5x110 | 5x112                  | 5x114,3               | 5x120   |
|------------|--------------------|---------|---------|------------|------|------------|-----------------|-------|------------------------|-----------------------|---------|
| 6,0x15"    | Kg 700             | ET (40) | ET (36) | ET (32/38) |      | ET (38/45) |                 |       | ET (43)                | ET (35/39/46)         |         |
| 6,5x16"    | Kg 700             | ET (40) | ET (38) | ET (32/38) |      | ET (40)    |                 |       | ET (43)                | ET (32/40/45/50)      |         |
| 7,0x16"    | Kg 700             |         |         |            |      |            | ET (40)         |       | ET (40/41/46)          | ET (40)               |         |
| 7,0x17"    | Kg 780             | ET (40) | ET (40) | ET (32)    |      | ET (40)    | ET (40/45)      |       | ET (40/41/45)          | ET (35/40/45/48,5/50) |         |
| 7,5x17"    | Kg 780             |         |         |            |      |            | ET (42/50,5)    |       | ET (27/35/36/45/46/51) | ET (40/45)            |         |
| 7,5x18"    | Kg 825             |         |         |            |      |            | ET (42/45/50,5) |       | ET (25/40/48/53)       | ET (39/40/45/49)      | ET (50) |
| 7,5x19"    | Kg 825             |         |         |            |      |            | ET (42/45/50,5) |       | ET (48)                | ET (40/49/54,5)       |         |
| 8,0x20"    | Kg 825             |         |         |            |      |            | ET (44/45,5)    |       | ET (42)                | ET (38/45)            |         |

TPMS Ready | [Adatto a valvole TPMS](#)

**Specially studied for all the electric cars | Studiato per equipaggiare la maggioranza delle vetture elettriche**

# EJ32 - ELEGANCE R

**ELITE**



BLP - Black Polished



BLLP - Black Lip Polished

| PCD / SIZE | 5x112      |
|------------|------------|
| 7,5x17"    | ET (35/45) |
| 8,0x18"    | ET (35/45) |

TPMS Ready

Adatto a valvole TPMS

UNIVERSAL WHEELS

[www.elitewheels.it](http://www.elitewheels.it)

Non disponibile per l'Italia



## MODELLI SU RICHIESTA | MODELS AVAILABLE ON REQUEST

**ELITE**



EJ11 - VEGA  
6,5x16



EJ26 - ATLAS  
7,0x16



EJ03 - MIGHTY  
6,5x16 e max wheel load 1250 Kg



EJ24 - ELECTRA  
8,0x18



EJ25 - TAYGETA  
8,5x19

## MODELLI SU RICHIESTA | MODELS AVAILABLE ON REQUEST

**ELITE**



EJ16 - ORION  
7,5x17 - 8,0x18



EJ05 - BRIO  
5,5x14 - 6,0x15 - 6,5x15 - 6,5x16 - 7,0x16  
7,0x17 - 7,5x17 - 7,5x18 - 7,5x19



EW21 - APOLLO  
8,5x20 (non disponibile per Italia)



EJ37 - E-POWER  
7,0x17 - 7,0x18 (non disponibile per Italia)

# **ELITE**

**ELITE** SRL

+39 0141 231028

+39 0141 230929

+39 320 8751004

+39 327 4422277

[mariomusso@elitewheels.it](mailto:mariomusso@elitewheels.it)

[sales2@elitewheels.it](mailto:sales2@elitewheels.it)

[sales3@elitewheels.it](mailto:sales3@elitewheels.it)

[sales4@elitewheels.it](mailto:sales4@elitewheels.it)

[amministrazione@elitewheels.it](mailto:amministrazione@elitewheels.it)

[www.elitewheels.it](http://www.elitewheels.it)

14100 Asti - Italy



Le immagini e le descrizioni tecniche sono dati riferiti al momento della realizzazione del catalogo. Fare riferimento al servizio commerciale di Elite Wheels Italia oppure visitate [www.elitewheels.it](http://www.elitewheels.it)


Per richieste tecniche o di carico/resistenza delle ruote attenersi strettamente ai dati tecnici pubblicati sul nostro sito oppure ponete richiesta direttamente al nostro ufficio. Non usate le nostre ruote se non siete sicuri del carico che sopportano.

The images and technical descriptions are given in reference to the moment of the creation of the catalog. Refer to the Elite Wheels Italia commercial service or visit [www.elitewheels.it](http://www.elitewheels.it)

For technical requests or wheel load / resistance requests, strictly adhere to the technical data published on our website or make a request directly to our office. Do not use our wheels if you are unsure of the load they are carrying.

# ELITE

TOP QUALITY WHEELS



[www.elitewheels.it](http://www.elitewheels.it)

